



# **MXR**

### \$499 MSRP

The 2019 MXR is a one-of-a-kind, high-performance hunting bow offering accuracy and speeds traditionally found in higher priced bows. Built around our Crosscentric® Cam technology, the MXR is powerful and efficient. The seven inch brace height enhances forgiveness and accuracy, while the proven cam system generates 324 feet per second for performance you can be confident in. The MXR also features a new grip, refined with a thinner, more ergonomic profile that minimizes torque and enhances comfort.

#### **SPECIFICATIONS\***

IBO RATING :: 324 fps at 29.5/70

WEIGHT :: 4.02 lbs

DRAW WEIGHT :: 40 - 70 lbs

DRAW LENGTHS :: 23.5 - 29.5"

LET-OFF % :: 80%

AXLE-TO-AXLE :: 30"

BRACE HEIGHT :: 7"

SUPPRESSION :: Dead End

GRIP :: Composite

**BOWSTRINGS** :: Zebra Hybrid

CAM :: MXR w/CCS mods

### **FINISH OPTIONS**

STANDARD



Complete this bow with the Bowhunter Package (see page 11 for details)



# SWITCH

## \$399 MSRP

The all-new Switch is the most versatile platform in the Mission lineup. Featuring our completely redesigned cam system with new Fast Fit<sup>™</sup> technology, the Switch is highly adjustable for maximum performance throughout a variety of draw weights and lengths. The ergonomic riser, paired with a slim grip design, provide unmatched shootability in a streamlined package. It offers a stable shooting platform and a generous string angle for archers on all ends of the draw length spectrum.

#### **SPECIFICATIONS\***

IBO RATING :: 305 fps

WEIGHT :: 3.84 lbs

DRAW WEIGHTS :: 11 - 70 lbs

DRAW LENGTHS :: 18 - 30"

LET-OFF % :: Up to 80%

AXLE-TO-AXLE :: 31"

BRACE HEIGHT :: 6 7/8"

SUPPRESSION :: Dead End, Monkey Tail

GRIP :: Composite

**BOWSTRINGS** :: Zebra Hybrid


CAM :: MSW

#### **FINISH OPTIONS**

STANDARD



Complete this bow with the **Bowhunter Package** (see page 11 for details)



\* all specifications approximate



#### **SPECIFICATIONS\***

IBO RATING :: 300 fps at 29/70

WEIGHT :: 3.4 lbs

DRAW WEIGHTS :: 16 - 70 lbs

DRAW LENGTHS :: 17 - 29"

LET-OFF % :: Up to 80%

AXLE-TO-AXLE :: 28"

BRACE HEIGHT :: 6 1/4"

SUPPRESSION :: Dead End, Monkey Tail

GRIP :: Composite

BOWSTRINGS :: Zebra Hybrid

CAM :: HMR

#### **FINISH OPTIONS**

STANDARD



CUSTOM



Complete this bow with the **Basic Package** (see page 11 for details)

# **RADIK**

# \$289 MSRP

The all-new Radik offers great fit and feel for young archers. Its wide range of weight adjustibility gives you years of growth potential in one bow. The new cam system also features a solid back wall for a more comfortable and consistent anchor point. Its slim, composite grip and precision cut riser offer a best-in-class fit and feel for shooters at the beginning of their archery journey.

#### SPECIFICATIONS\*

WEIGHT :: 3.04 lbs

DRAW WEIGHTS :: 10 - 50 lbs

DRAW LENGTHS :: 17 - 28"

LET-OFF % :: Up to 80%

AXLE-TO-AXLE :: 28"

BRACE HEIGHT :: 6 1/8"

SUPPRESSION :: Dead End, Monkey Tail

GRIP :: Composite

BOWSTRINGS :: Zebra Hybrid

CAM :: RDK

#### **FINISH OPTIONS**

STANDARD




CUSTOM



Complete this bow with the **Basic Package** (see page 11 for details)



09. \* all specifications approximate



# **BOWHUNTER PACKAGE**

Includes the following\*

- :: Apex Reactor 5 arrow Quiver
- :: Apex Accu Strike or QAD Hunter Rest
- :: TruGlo Carbon XS XT 5-pin Sight

:: 365 3" Stabilizer









Includes the following\*

- :: TruGlo Tuff Loc 4 arrow Quiver
- :: Apex Accu Strike Rest
- :: Apex Tundra 3-pin Sight





\* Subject to Change - visit missionarchery.com for updates

## **CUSTOMIZE YOUR MISSION**

Designed exclusively to enhance the look and performance of your Mission bow.

BLACK			
WHITE			
WHITE SP		11/11	7
SILVER			
PURPLE			
FLUORES	CENT PUR	RPLE	

BLUE SPECKLED ELECTRIC BLUE KIWI SPECKLED FLUORESCENT GREEN SPECKLED YELLOW FLUORESCENT YELLOW PINK SPECKLED


TAN SPECKLED FLUORESCENT ORANGE FLUORESCENT ORANGE SPECKLED

ZEBRA® HYBRID BOWSTRING & CABLES



**CUSTOM COLORED DAMPING ACCESSORIES** 





#### MXR SPECIFICATIONS\*

IBO RATING	<b>324 fps</b> at 29.5 / 70
WEIGHT	4.02 lbs
DRAW WEIGHT	40 - 70 lbs
DRAW LENGTHS	23.5 - 29.5"
LET-OFF %	80%
AXLE-TO-AXLE	30"
BRACE HEIGHT	7"
SUPPRESSION	Dead End
GRIP	Composite
BOWSTRINGS	Zebra Hybrid
CAM	MXR w/CCS mods

#### **SWITCH SPECIFICATIONS\***

1	
	8

IBO RATING	305 fps
WEIGHT	3.84 lbs
DRAW WEIGHTS	11 - 70 lbs
DRAW LENGTHS	18 - 30"
LET-OFF %	up to 80%
AXLE-TO-AXLE	31"
BRACE HEIGHT	6 7/8"
SUPPRESSION	Dead End, Monkey Tai
GRIP	Composite
BOWSTRINGS	Zebra Hybrid
CAM	MSW

#### **HAMMR SPECIFICATIONS\***



IBO RATING	<b>300 fps</b> at 29 / 70
WEIGHT	3.4 lbs
DRAW WEIGHTS	16 - 70 lbs
DRAW LENGTHS	17 - 29"
LET-OFF %	up to 80%
AXLE-TO-AXLE	28"
BRACE HEIGHT	6 1/4"
SUPPRESSION	Dead End, Monkey Tail
GRIP	Composite
BOWSTRINGS	Zebra Hybrid
CAM	HMR

#### **RADIK SPECIFICATIONS\***



WEIGHT	3.04 lbs
DRAW WEIGHTS	10 - 50 lbs
DRAW LENGTHS	17 - 28"
LET-OFF %	up to 80%
AXLE-TO-AXLE	28"
BRACE HEIGHT	6 1/8"
SUPPRESSION	Dead End, Monkey Tail
GRIP	Composite
BOWSTRINGS	Zebra Hybrid
CAM	RDK

#### SWITCH ADJUSTABILITY

DRAW LENGTH	30"	29.5"	29"	28.5"	28"	27.5"	27"	26.5"	26"	25.5"	25"	24.5"	24"	23.5"	23"	22.5"	22"	21.5"	21"	20.5"	20"	19.5"	19"	18.5"	18"
MAX. WEIGHT	<b>70</b> lbs	<b>69</b> lbs	<b>68</b> lbs	<b>67</b> lbs	<b>66</b> lbs	<b>65</b> lbs	<b>63</b> lbs	<b>62</b> lbs	<b>60</b> lbs	<b>58</b> lbs	<b>56</b> lbs	<b>53</b> lbs	<b>51</b> lbs	<b>49</b> lbs	<b>47</b> lbs	<b>44</b> lbs	<b>41</b> lbs	<b>39</b> lbs	<b>36</b> lbs	<b>34</b> lbs	<b>31</b> lbs				
MIN. WEIGHT	<b>34</b> lbs	<b>33</b> lbs	<b>32</b> lbs	<b>30</b> lbs	<b>30</b> lbs	<b>29</b> lbs	<b>29</b> lbs	<b>28</b> lbs	<b>27</b> lbs	<b>26</b> lbs	<b>25</b> lbs	<b>24</b> lbs	<b>23</b> lbs	<b>22</b> lbs	<b>21</b> lbs	<b>20</b> lbs	<b>19</b> lbs	<b>18</b> lbs	<b>17</b> lbs	<b>16</b> lbs	<b>15</b> lbs	<b>13</b> lbs	<b>12</b> lbs	<b>11</b> lbs	<b>10</b> lbs

#### HAMMR ADJUSTABILITY

DRAW LENGT	ТН	29"	28.5"	28"	27.5"	27"	26.5"	26"	25.5"	25"	24.5"	24"	23.5"	23"	22.5"	22"	21.5"	21"	20.5"	20"	19.5"	19"	18.5"	18"	17.5"	17"
MAX. WEIGHT	Г	<b>70</b> lbs	<b>69</b> lbs	<b>69</b> lbs	<b>68</b> lbs	<b>67</b> lbs	<b>66</b> lbs	<b>65</b> lbs	<b>63</b> lbs	<b>61</b> lbs	<b>59</b> lbs	<b>58</b> lbs	<b>56</b> lbs	<b>53</b> lbs	<b>51</b> lbs	<b>49</b> lbs	<b>46</b> lbs	<b>44</b> lbs	<b>41</b> lbs	<b>38</b> lbs	<b>36</b> lbs	<b>33</b> lbs				
MIN. WEIGHT		<b>40</b> lbs	<b>38</b> lbs	<b>37</b> lbs	<b>36</b> lbs	<b>36</b> lbs	<b>36</b> lbs	<b>35</b> lbs	<b>34</b> lbs	<b>34</b> lbs	<b>33</b> lbs	<b>32</b> lbs	<b>31</b> lbs	<b>30</b> lbs	<b>29</b> lbs	<b>28</b> lbs	<b>27</b> lbs	<b>26</b> lbs	<b>24</b> lbs	<b>23</b> lbs	<b>22</b> lbs	<b>20</b> lbs	<b>19</b> lbs	<b>18</b> lbs	<b>16</b> lbs	<b>15</b> lbs

### RADIK ADJUSTABILITY

DRAW LENGTH	28"	27.5"	27"	26.5"	26"	25.5"	25"	24.5"	24"	23.5"	23"	22.5"	22"	21.5"	21"	20.5"	20"	19.5"	19"	18.5"	18"	n/a	17"		
MAX. WEIGHT	<b>54</b> lbs	<b>53</b> lbs	<b>53</b> lbs	<b>52</b> lbs	<b>52</b> lbs	<b>51</b> lbs	<b>50</b> lbs	<b>49</b> lbs	<b>48</b> lbs	<b>47</b> lbs	<b>45</b> lbs	<b>44</b> lbs	<b>42</b> lbs	<b>41</b> lbs	<b>39</b> lbs	<b>37</b> lbs	<b>35</b> lbs	<b>33</b> lbs	<b>31</b> lbs	<b>29</b> lbs	<b>27</b> lbs	-	<b>24</b> lbs		
MIN. WEIGHT	<b>26</b> lbs	<b>26</b> lbs	<b>25</b> lbs	<b>25</b> lbs	<b>24</b> lbs	<b>24</b> lbs	<b>23</b> lbs	<b>22</b> lbs	<b>22</b> lbs	<b>21</b> lbs	<b>20</b> lbs	<b>20</b> lbs	<b>19</b> lbs	<b>18</b> lbs	<b>17</b> lbs	<b>16</b> lbs	<b>15</b> lbs	<b>14</b> lbs	<b>13</b> lbs	<b>12</b> lbs	<b>12</b> lbs		<b>10</b> lbs		

014 \* all specifications approximate









919 RIVER ROAD :: SPARTA, WI 54656